



TXA1-050




あ断面図 S=1/4

い断面図 S=1/4




TXA 1-100




断面図 $S = 1/4$

い断面図 $S = 1/4$




TXA 1-150




断面図 $S = 1/4$

い断面図 $S = 1/4$







TXA1-200




あ断面図 S=1/4

い断面図 S=1/4







TXA1-250




あ断面図 S=1/4





い断面図 S=1/4




TXA 1-300



断面図 $S = 1/4$





い断面図 $S = 1/4$ 

TXA1-350




あ断面図 S=1/4

い断面図 S=1/4







TXA1-400







あ断面図 S=1/4

い断面図 S=1/4



[illegible]

い断面図 $S = 1/4$



Technical drawing of a sliding door system, showing internal and external views with dimensions and labels.





Internal View (Left):

- Dimensions: 71 (top width), 65 (top width), 40 (top height), 13 (rod diameter), 4.5 (rod offset), 20.8 (rod offset), 960 (total height), 100 (bottom height), 70 (bottom height), 20.8 (bottom offset), 9.2 (bottom offset).
- Labels: トップレール (Top Rail), スライド材A (Sliding Material A), 支柱50×50 (Support Post 50×50), 立子20×20-2 (Bracket 20×20-2), 内部側 (Internal Side), 外部側 (External Side), 下横 (Bottom Rail), スライド材A (Sliding Material A).


External View (Right):

- Dimensions: 67.5 (top width), 65 (top width), 36 (top width), 20 (top height), 33.5 (top height), 3.5 (top height), 30 (top height), 2 (top height), 25 (rod diameter), 856.5 (total height), 850 (total height), 1010 (total height), 56 (bottom height), 150 (bottom height), 70 (bottom height), 65 (bottom width), 25 (rod diameter).
- Labels: フタ (Cover), フタ (Cover), オールアンカー M8×50 (All-Anchor M8×50), SUS なべ頭ドリルねじ 5×19 (SUS Flat Head Drill Screw 5×19), 支柱 (Support Post), 転受け材 (Roller Material), 転受け材力バー (Roller Material Force Bar), 転受け止め (Roller Material Stop), SUS 皿タ 4×20 (SUS Dish Washer 4×20), オールアンカー M8×50 (All-Anchor M8×50).


い断面図 $S = 1/4$




TXA 1-550



断面図 $S = 1/4$




い断面図 $S = 1/4$ 

TXA1-600




あ断面図 S=1/4


い断面図 S=1/4




TXA2-050



あ断面図 $S = 1/4$


い断面図 $S = 1/4$ 

TXA2-100




断面図 $S = 1/4$



い断面図 $S = 1/4$








TXA2-150








あ断面図 $S = 1/4$

い断面図 $S = 1/4$ 






TXA2-200





TXA2-250





TXA2-300





TXA2-350








TXA2-400





TXA2-450



TXA2-500



TXA2-550



TXA2-600

